



केन्द्रीय माध्यमिक शिक्षा बोर्ड
Central Board of Secondary Education
संबद्धता - School Affiliation Re-engineered Automation System 2.0 (SARAS 2.0)



Letter Details

NO : CBSE/531131/EX-00063-2324/2023-24/

Dated: 22/03/2022

The Manager,

B D MEM CONVENT SCHOOL MEHMARA DT FATEHABAD HRY

B D MEMORIAL CONVENT SCHOOL, VPO MEHMARA, TEHSIL-RATIA, DIST. FATEHABAD

HARYANA, FATEHABAD, 125051

(M: 01697-276476)

SUBJECT: -Extension of General Affiliation up to Secondary/Senior Secondary Level.

This is with reference to school application on the subject cited above. In this connection, I am directed to convey the approval of the Board for Extension of General Affiliation as per details given below:-

Affiliation No used as User ID for both OASIS and LOC/Registration System	531131
School No	41094
Affiliated for	Extension of General Affiliation
Category	Extension of Affiliation
Period of affiliation	01.04.2022 to 31.03.2027

The above sanction is subject to fulfillment of following conditions:-

1. The approval is based upon the documents /data/information uploaded by the school online. The school will be responsible for its genuineness. In case of any discrepancies, necessary action will be initiated against the school as per Affiliation Bye -Laws-2018.
2. The school will follow the RTE Act, 2009 and instructions issued thereon by the CBSE/Respective State /UT Govt. from time to time. The school will also abide by the conditions prescribed, if any, by the State Government concerned.
3. The School is required to apply on online for extension of affiliation along with the requisite fee and other documents as per Rule 10.3 of Affiliation Bye Laws.
4. The school should go through the provision of Affiliation and Examination Bye Laws and subsequent amendment therein as well as circulars and guidelines /instructions issued by the Board time to time and keep a copy there of for reference purpose and is also advised to regularly visit CBSE websites i.e., <http://cbseacademic.nic.in/> & <http://cbse.nic.in/> for updates.
5. The school to renew mandatory certificates from time to time.
6. The school shall be solely responsible for any legal consequences arising out of the use of school name/logo/society/trust or any other identity /activity related to running of school affiliated to CBSE. All legal expenses incurred by the Board, if any, arising out of these circumstances, shall be borne by the school.

"The school shall possess valid fire safety certificate and Building safety certificate during functioning of the school which shall be renewed from time to time as per norms".

Principal
B.D. Memorial Convent School
Mehmara (Rt. 10)

DEPUTY SECRETARY/JOINT SECRETARY (AFF.)

ENROLMENT TABLE

SN	Location of School	Campus area	Affiliation Allowed	Optimum No. of Sections (From classes I/VI to X/XII)
A	Areas/Cities mentioned in clause 3.6	1600 sqm	Up to Class-X only	10
B	Areas/Cities mentioned in clause 3.6	2400 sqm	Up to Class-XII	24
C	Areas/Cities mentioned in clause 3.6	3200 sqm	Up to Class-XII	28
D	Class-X Cities (Clauses 3.5) and Areas mentioned in clause 3.7	2000 sqm	Up to Class-X only	10

From Assistant Divisional Fire Officer/Fire Station Officer
MC Fatehabad

To M/s SHYAM CHUGH
RATIA

Memo No. FS/2024/5 dated : 12/02/2024

Subject: Renewal of Fire Safety Certificate Under 15 mtrs. height from the fire Safety Point of View of the Group B-Educational Building at VILLAGE MEHMARA TEHSIL RATIA DISTT FATEHABAD of B D MEMORIAL CONVENT SCHOOL :

Reference to you online No D40222323000017 dated 10/07/2023 on the subject cited above.

Tower Name	Floor Detail	Height	Ground Coverage
B D MEMORIAL CONVENT SCHOOL	GROUND FLOOR +FIRST FLOOR	8.74	1915.933 Sq Mtr
Basement Level	Basement Area	Remarks	
NILL	NILL	NILL	

Your site for the Renewal of the Fire Safety Certificate has been inspected by the Team of Fire Station Officers, MC Fatehabad from fire safety Point of View. The means of escape and Fire Protection system were checked and found as per the National Building Code of India, Part- IV guidelines.

In view of the satisfactory fire protection system / arrangement mentioned as above, this office has no objection for occupation from the Fire Safety point of view, with the following conditions:-

- 1) The owner/occupier shall keep duly trained Fire Staff in all three shifts.
- 2) The Fire Protection System tested during inspection shall be maintained properly & always should be in good working condition.
- 3) If any lapse is found in the fire protection system at the time of inspection or detected during outbreak of fire, action will be taken as per rules against you.
- 4) You are directed to apply for Renewal of Fire Safety Certificate in future before 2 month of expiry of your Fire Safety Certificate.
- 5) The open gut back area is not checked at our end as it shall be checked by concerned building department.
- 6) The owner/occupier shall strictly follow the other applicable rules/ regulations/ bylaws laid down regarding fire safety system. If you fail to comply with any of the above terms & conditions you will be liable to be punished as per Section 30,31 & 47 of fire & Emergency Services Act 2022.
- 7) You have to perform quarterly Fire Drill in your building as per NBC with intimation to Fire Department and video graphy evidence to be kept as a record which shall be produced at the time of next Renewal; Officials/Residents/R.W.A. should be mentioned in the drill.
- 8) If the infringements of Bylaws remains un-noticed the Authority reserves the right to amend the Fire Safety Certificate as and when any such infringements comes to notice after giving an opportunity of being heard and the Authority shall stand indemnified against any claim on this account.
- 9) The owner or occupier of the building shall give a self-declaration certificate annually to the effect that the fire fighting system installed in his building is working in good condition and there is no addition/alteration in the building. The Fire Officer may randomly check such building. In case there is any addition/alteration beyond permissible limits under the Haryana Building Code, 2017, the fire safety certificate shall cease to exist and the owner shall apply for approval of revised Fire Fighting Scheme as per the provisions of section 18.

The above Renewal of Fire Safety Certificate is valid for **Three** year from the date of issue of this letter Applying renewal of the same well in time shall be the responsibility of owner/occupier.

Remarks : Application Update



Fire Station Officer,



Digitally signed by LALIT KUMAR
Date: 2024.02.12 11:15:33
PS: 30
at: District Fire Services, Haryana
Reason: Digital Verification

Embruing i



समिति पंजीकरण प्रमाण-पत्र

(वर्ष 1860 का इक्कीसवाँ अधिनियम)

क्रमांक DRFS/FTH/5.....

वर्ष 2011-12.....

मैं एतद्वारा प्रमाणित करता हूँ कि Mahat Education and Welfare.....

Society, H. No. 231/10, Rattia, District - Fatehabad नामक समिति

को समिति पंजीकरण अधिनियम इक्कीस ऑफ 1860 (तथा पंजाब संशोधन अधिनियम 1957 द्वारा यथा संशोधित) के अन्तर्गत पंजीकृत किया गया है।

यह प्रमाण-पत्र मेरे हस्ताक्षर से आज दिनांक 18 Th मास April

वर्ष 2011 को फतेहाबाद से जारी किया गया।



रजि. के. सोमल
जिला रजिस्ट्रार समितियां
फतेहाबाद

From Assistant Divisional Fire Officer/Fire Station Officer
MC Fatehabad

To Mr. SHYAM CHUGH
RATIA

Memo No. PS/2024/6 dated : 12/02/2024

Subject: Renewal of Fire Safety Certificate Under 15 mtrs. height from the fire Safety Point of View of the Group B-Educational Building at VILLAGE MEHMARA TEHSIL RATIA DISTT FATEHABAD of B D MEMORIAL CONVENT SCHOOL :

Reference to you online No 040222323000017 dated 10/07/2023 on the subject cited above.

Tower Name	Floor Detail	Height	Ground Coverage
B D MEMORIAL CONVENT SCHOOL	GROUND FLOOR +FIRST FLOOR	8.74	1913.933 Sq Mtr
Basement Level	Basement Area	Remarks	
NILL	NILL	NILL	

Your site for the Renewal of the Fire Safety Certificate has been inspected by the Team of Fire Station Officers, MC Fatehabad from fire safety Point of View. The means of escape and Fire Protection system were checked and found as per the National Building Code of India, Part- IV guidelines.

In view of the satisfactory fire protection system / arrangement mentioned as above, this office has no objection for occupation from the Fire Safety point of view, with the following conditions:-

- 1) The owner/occupier shall keep duly trained Fire Staff in all three shifts.
- 2) The Fire Protection System tested during inspection shall be maintained properly & always should be in good working condition.
- 3) If any lapse is found in the fire protection system at the time of inspection or detected during outbreak of fire, action will be taken as per rules against you.
- 4) You are directed to apply for Renewal of Fire Safety Certificate in future before 2 month of expiry of your Fire Safety Certificate.
- 5) The open set back area is not checked at our end as it shall be checked by concerned building department.
- 6) The owner/occupier shall strictly follow the other applicable rules/ regulations/ bylaws laid down regarding fire safety system. If you fail to comply with any of the above terms & conditions you will be liable to be punished as per Section 30,31 & 47 of fire & Emergency Services Act 2022.
- 7) You have to perform quarterly Fire Drill in your building as per NBC with intimation to Fire Department and video graphy evidence to be kept as a record which shall be produced at the time of next Renewal; Officials/Residents/R.W.A. should be mentioned in the drill.
- 8) If the infringements of Byelaws remains un- noticed the Authority reserves the right to amend the Fire Safety Certificate as and when any such infringements comes to notice after giving an opportunity of being heard and the Authority shall stand indemnified against any claim on this account.
- 9) The owner or occupier of the building shall give a self-declaration certificate annually to the effect that the fire fighting system installed in his building is working in good condition and there is no addition/alteration in the building. The Fire Officer may randomly check such building. In case there is any addition/alteration beyond permissible limits under the Haryana Building Code, 2017, the fire safety certificate shall come to exist and the owner shall apply for approval of revised Fire Fighting Scheme as per the provisions of section 18.

The above Renewal of Fire Safety Certificate is valid for **Three** year from the date of issue of this letter. Applying renewal of the same well in time shall be the responsibility of owner/occupier.

Remarks:- Application Update



Fire Station Officer,



Digitally signed by LAJET KUMAR
DN: cn=LAJET KUMAR, o=12 11 15 33
2024.02.12 11:15:33
Reason: I am a building official

Enclosing 1

From Assistant Divisional Fire Officer/Fire Station Officer
MC Fatehabad

To M/s. JIYAM CHUGH
RATIA

Memo No. FB/2024/6 dated : 12/02/2024

Subject: Renewal of Fire Safety Certificate Under 15 mtrs. height from the fire Safety Point of View of the Group B-Educational Building at VILLAGE MEHMARA TEHSIL RATIA DISTT FATEHABAD of B D MEMORIAL CONVENT SCHOOL :

Reference to you online No 040222323000017 dated 10/07/2023 on the subject cited above.

Tower Name	Floor Detail	Height	Ground Coverage
B D MEMORIAL CONVENT SCHOOL	GROUND FLOOR +FIRST FLOOR	8.74	1913.931 Sq Mtr
Basement Level	Basement Area	Remarks	
NILL	NILL	NILL	

Your site for the Renewal of the Fire Safety Certificate has been inspected by the Team of Fire Station Officer, MC Fatehabad from fire safety Point of View. The means of escape and Fire Protection system were checked and found as per the National Building Code of India, Part- IV guidelines.

In view of the satisfactory fire protection system / arrangement mentioned as above, this office has no objection for occupation from the Fire Safety point of view, with the following conditions:-

- 1) The owner/occupier shall keep duly trained Fire Staff in all three shifts.
- 2) The Fire Protection System tested during inspection shall be maintained properly & always should be in good working condition.
- 3) If any lapse is found in the fire protection system at the time of inspection or detected during outbreak of fire, action will be taken as per rules against you.
- 4) You are directed to apply for Renewal of Fire Safety Certificate in future before 2 month of expiry of your Fire Safety Certificate.
- 5) The open set back area is not checked at our end as it shall be checked by concerned building department.
- 6) The owner/occupier shall strictly follow the other applicable rules/ regulations/ byelaws laid down regarding fire safety system. If you fail to comply with any of the above terms & conditions you will be liable to be punished as per Section 30.11 & 47 of fire & Emergency Services Act 2022.
- 7) You have to perform quarterly Fire Drill in your building as per NBC with intimation to Fire Department and video graphy evidence to be kept as a record which shall be produced at the time of next Renewal; Officials/Residents/R.W.A should be mentioned in the drill.
- 8) If the infringements of Byelaws remains un- noticed the Authority reserves the right to amend the Fire Safety Certificate as and when any such infringement comes to notice after giving an opportunity of being heard and the Authority shall stand indemnified against any claim on this account.
- 9) The owner or occupier of the building shall give a self-declaration certificate annually to the effect that the fire fighting system installed in his building is working in good condition and there is no addition/allocation in the building. The Fire Officer may randomly check such building. In case there is any addition/allocation beyond permissible limits under the National Building Code, 2017, the fire safety certificate shall cease to exist and the owner shall apply for approval of revised Fire Fighting Scheme as per the provisions of section 18.

The above Renewal of Fire Safety Certificate is valid for **Three** year from the date of issue of this letter. Applying renewal of the same well in time shall be the responsibility of owner/occupier.

Remarks:- Application Update



Fire Station Officer.



Digitally signed by LAJIT KUMAR
DN: cn=LAJIT KUMAR, o=MC Fatehabad, ou=Fire Station Officer, email=LAJIT.KUMAR@mc-fatehabad.org, c=IN
Date: 2024.02.12 11:15:33
Reason: Digital Signature

Enclosure 1